



June 10, 2025

Cyril Grant
Berlin Central School District
17400 State Route 22
Cherry Plain, NY 12040

RE: Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL
Pace Project No.: 70356372

Dear Cyril Grant:

Enclosed are the analytical results for sample(s) received by the laboratory on May 23, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Alexandria Correa
alexandria.correa@pacelabs.com
516-370-6000
Project Manager

Enclosures

cc: Tracey Catalfamo, Questar BOCES
Tim Levan, Questar BOCES
Colleen Mills, Berlin Central School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 1 BES-01-CF-P-01 | | | | | | | | |
| Lab ID: 70356372001 | | | | | | | | |
| Collected: 05/22/25 11:19 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | 2.4 | ug/L | 1.0 | 1 | | 06/09/25 18:56 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 2 BES-01-DW-P-02 | | Lab ID: 70356372002 | Collected: 05/22/25 11:16 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | |
|---------------------------------------|---------|---|---------------------------|--------------------------|------------------------|----------------|-----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 200.8 MET ICPMS Drinking Water | | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:00 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 3 BES-01-DW-P-03 | | | | | | | | |
| Lab ID: 70356372003 | | | | | | | | |
| Collected: 05/22/25 11:16 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:02 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 4 BES-01-CF-P-04 | | | | | | | | |
| Lab ID: 70356372004 | | | | | | | | |
| Collected: 05/22/25 11:26 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | 7.6 | ug/L | 1.0 | 1 | | 06/09/25 19:04 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 5 BES-01-DW-P-05 | | | | | | | | |
| Lab ID: 70356372005 | | | | | | | | |
| Collected: 05/22/25 11:26 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 3.4 | ug/L | 1.0 | 1 | | 06/09/25 19:05 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 6 BES-01-CF-P-06 | | | | | | | | |
| Lab ID: 70356372006 | | | | | | | | |
| Collected: 05/22/25 11:30 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | 2.3 | ug/L | 1.0 | 1 | | 06/09/25 19:07 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 7 BES-01-DW-P-07 | | Lab ID: 70356372007 | Collected: 05/22/25 11:30 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | |
|---------------------------------------|---------|---|---------------------------|--------------------------|------------------------|----------------|-----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 200.8 MET ICPMS Drinking Water | | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | |
| Lead | 1.4 | ug/L | 1.0 | 1 | | 06/09/25 19:09 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 8 BES-01-BF-P-08 | | Lab ID: 70356372008 | Collected: 05/22/25 11:34 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | |
|---------------------------------------|------------|---|---------------------------|--------------------------|------------------------|----------------|-----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 200.8 MET ICPMS Drinking Water | | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | |
| Lead | 4.3 | ug/L | 1.0 | 1 | | 06/09/25 19:13 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 9 BES-01-DW-P-09 | | | | | | | | |
| Lab ID: 70356372009 | | | | | | | | |
| Collected: 05/22/25 11:36 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:15 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 10 BES-01-DW-P-10 | Lab ID: 70356372010 | Collected: 05/22/25 11:36 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:16 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 11 BES-01-DW-P-11 | Lab ID: 70356372011 | Collected: 05/22/25 11:39 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:18 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 12 BES-01-DW-P-12 | | | | | | | | |
| Lab ID: 70356372012 | | | | | | | | |
| Collected: 05/22/25 11:39 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:20 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 13 BES-01-KF-P-13 | | | | | | | | |
| Lab ID: 70356372013 | | | | | | | | |
| Collected: 05/22/25 11:45 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | 5.6 | ug/L | 1.0 | 1 | | 06/09/25 19:21 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 14 BES-01-KF-P-14 | Lab ID: 70356372014 | Collected: 05/22/25 11:45 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 4.7 | ug/L | 1.0 | 1 | | 06/09/25 19:23 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 15 BES-01-KF-P-15 | | | | | | | | |
| Lab ID: 70356372015 | | | | | | | | |
| Collected: 05/22/25 11:45 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | 2.6 | ug/L | 1.0 | 1 | | 06/09/25 19:25 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 16 BES-01-CF-P-16 | | | | | | | | |
| Lab ID: 70356372016 | | | | | | | | |
| Collected: 05/22/25 11:49 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | 14.2 | ug/L | 1.0 | 1 | | 06/09/25 19:26 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|-------------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 17 BES-01-CF-P-17 | | | | | | | | |
| Lab ID: 70356372017 | | | | | | | | |
| Collected: 05/22/25 11:51 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | 10.6 | ug/L | 1.0 | 1 | | 06/09/25 19:28 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 20 BES-02-DW-P-20 | | | | | | | | |
| Lab ID: 70356372018 | | | | | | | | |
| Collected: 05/22/25 11:59 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:32 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 21 BES-02-DW-P-21 | | | | | | | | |
| Lab ID: 70356372019 | | | | | | | | |
| Collected: 05/22/25 11:59 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:34 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 22 MSHS-01-DW-P-22 Lab ID: 70356372020 Collected: 05/22/25 12:24 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:39 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---|----------------------------|--------------|---------------------------|--------------------------|------------------------|-----------|------|
| Sample: 24 MSHS-01-IM-P-24 | | Lab ID: 70356372021 | | Collected: 05/22/25 12:30 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:43 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 25 MSHS-01-DW-P-25 Lab ID: 70356372022 Collected: 05/22/25 12:32 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 1.1 | ug/L | 1.0 | 1 | | 06/09/25 19:51 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 26 MSHS-01-DW-P-26 Lab ID: 70356372023 Collected: 05/22/25 12:33 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:52 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 27 MSHS-01-DW-P-27 Lab ID: 70356372024 Collected: 05/22/25 12:33 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | | |
| Lead | 2.4 | ug/L | 1.0 | 1 | | 06/09/25 19:54 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 28 MSHS-01-CF-P-28 | | | | | | | | |
| Lab ID: 70356372025 | | | | | | | | |
| Collected: 05/22/25 12:36 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 4.3 | ug/L | 1.0 | 1 | | 06/09/25 19:55 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 29 MSHS-01-SF-P-29 | | | | | | | | |
| Lab ID: 70356372026 | | | | | | | | |
| Collected: 05/22/25 12:38 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | 1.2 | ug/L | 1.0 | 1 | | 06/09/25 19:57 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---------------------------------------|---------|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 30 MSHS-01-SF-P-30 | | | | | | | | |
| Lab ID: 70356372027 | | | | | | | | |
| Collected: 05/22/25 12:41 | | | | | | | | |
| Received: 05/23/25 08:00 | | | | | | | | |
| Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | | | | | | | | |
| Analytical Method: EPA 200.8 | | | | | | | | |
| Pace Analytical Services - Melville | | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 19:59 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 31 MSHS-01-DW-P-31 Lab ID: 70356372028 Collected: 05/22/25 12:43 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 3.2 | ug/L | 1.0 | 1 | | 06/09/25 20:00 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 32 MSHS-01-DW-P-32 Lab ID: 70356372029 Collected: 05/22/25 12:43 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 2.2 | ug/L | 1.0 | 1 | | 06/09/25 20:02 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 33 MSHS-01-KF-P-33 Lab ID: 70356372030 Collected: 05/22/25 12:47 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 1.7 | ug/L | 1.0 | 1 | | 06/09/25 20:03 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 34 MSHS-01-KF-P-34 | Lab ID: 70356372031 | Collected: 05/22/25 12:47 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|--|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | | |
| Lead | 1.6 | ug/L | 1.0 | 1 | | 06/09/25 20:05 | 7439-92-1 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 35 MSHS-01-BF-P-35 Lab ID: 70356372032 Collected: 05/22/25 12:48 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 21.0 | ug/L | 1.0 | 1 | | 06/09/25 20:10 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 36 MSHS-01-DW-P-36 Lab ID: 70356372033 Collected: 05/22/25 12:50 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 20:11 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 37 MSHS-01-DW-P-37 Lab ID: 70356372034 Collected: 05/22/25 12:50 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 20:13 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 38 MSHS-01-DW-P-38 Lab ID: 70356372035 Collected: 05/22/25 12:51 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 20:14 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 39 MSHS-01-CF-P-39 Lab ID: 70356372036 Collected: 05/22/25 12:55 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 1.2 | ug/L | 1.0 | 1 | | 06/09/25 20:16 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 40 MSHS-01-CF-P-40 | Lab ID: 70356372037 | Collected: 05/22/25 12:56 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 3.1 | ug/L | 1.0 | 1 | | 06/09/25 20:18 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 41 MSHS-01-CF-P-41 | Lab ID: 70356372038 | Collected: 05/22/25 12:57 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|--|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | | |
| Lead | 2.5 | ug/L | 1.0 | 1 | | 06/09/25 20:19 | 7439-92-1 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 42 MSHS-01-CF-P-42 | Lab ID: 70356372039 | Collected: 05/22/25 12:57 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|--|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | | |
| Lead | 1.9 | ug/L | 1.0 | 1 | | 06/09/25 20:21 | 7439-92-1 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 43 MSHS-01-CF-P-43 | Lab ID: 70356372040 | Collected: 05/22/25 12:58 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|--|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | | |
| Lead | 2.8 | ug/L | 1.0 | 1 | | 06/09/25 20:30 | 7439-92-1 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 44 MSHS-01-CF-P-44 Lab ID: 70356372041 Collected: 05/22/25 12:59 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 2.2 | ug/L | 1.0 | 1 | | 06/09/25 20:31 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 45 MSHS-01-CF-P-45 Lab ID: 70356372042 Collected: 05/22/25 12:59 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | 2.7 | ug/L | 1.0 | 1 | | 06/09/25 20:33 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 46 MSHS-01-CF-P-46 | Lab ID: 70356372043 | Collected: 05/22/25 13:00 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|--|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 20:35 | 7439-92-1 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Sample: 47 MSHS-01-DW-P-47 | Lab ID: 70356372044 | Collected: 05/22/25 13:03 | Received: 05/23/25 08:00 | Matrix: Drinking Water | | | | |
|---------------------------------------|---|---------------------------|--------------------------|------------------------|----------|----------------|-----------|------|
| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 20:36 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|-------|--------------|----|----------|----------------|-----------|------|
| Sample: 50 MSHS-01-CF-P-50 Lab ID: 70356372045 Collected: 05/22/25 13:08 Received: 05/23/25 08:00 Matrix: Drinking Water | | | | | | | | |
| 200.8 MET ICPMS Drinking Water | Analytical Method: EPA 200.8 Pace Analytical Services - Melville | | | | | | | |
| Lead | <1.0 | ug/L | 1.0 | 1 | | 06/09/25 20:38 | 7439-92-1 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| | | | |
|-------------------------|---|-----------------------|-------------------------------------|
| QC Batch: | 403272 | Analysis Method: | EPA 200.8 |
| QC Batch Method: | EPA 200.8 | Analysis Description: | 200.8 MET No Prep Drinking Water |
| | | Laboratory: | Pace Analytical Services - Melville |
| Associated Lab Samples: | 70356372001, 70356372002, 70356372003, 70356372004, 70356372005, 70356372006, 70356372007, 70356372008, 70356372009, 70356372010, 70356372011, 70356372012, 70356372013, 70356372014, 70356372015, 70356372016, 70356372017, 70356372018, 70356372019 | | |

| | | | |
|-------------------------|---|---------|-------|
| METHOD BLANK: | 2131303 | Matrix: | Water |
| Associated Lab Samples: | 70356372001, 70356372002, 70356372003, 70356372004, 70356372005, 70356372006, 70356372007, 70356372008, 70356372009, 70356372010, 70356372011, 70356372012, 70356372013, 70356372014, 70356372015, 70356372016, 70356372017, 70356372018, 70356372019 | | |

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------|-------|--------------|-----------------|----------------|------------|
| Lead | ug/L | <1.0 | 1.0 | 06/09/25 18:46 | |

| LABORATORY CONTROL SAMPLE: | 2131304 | | | | | |
|----------------------------|---------|-------------|------------|-----------|--------------|------------|
| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
| Lead | ug/L | 50 | 50.2 | 100 | 85-115 | |

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: | 2131305 | | | 2131306 | | | | | | | |
|--|---------|--------------------|----------------|-----------------|-----------|------------|----------|-----------|--------------|-----|------|
| Parameter | Units | 70356357073 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Qual |
| Lead | ug/L | 1.4 | 50 | 50 | 51.5 | 52.3 | 100 | 102 | 70-130 | 1 | |

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: | 2131307 | | | 2131308 | | | | | | | |
|--|---------|--------------------|----------------|-----------------|-----------|------------|----------|-----------|--------------|-----|------|
| Parameter | Units | 70356372001 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Qual |
| Lead | ug/L | 2.4 | 50 | 50 | 51.8 | 53.2 | 99 | 102 | 70-130 | 3 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| | | | |
|-------------------------|--|-----------------------|-------------------------------------|
| QC Batch: | 403273 | Analysis Method: | EPA 200.8 |
| QC Batch Method: | EPA 200.8 | Analysis Description: | 200.8 MET No Prep Drinking Water |
| | | Laboratory: | Pace Analytical Services - Melville |
| Associated Lab Samples: | 70356372020, 70356372021, 70356372022, 70356372023, 70356372024, 70356372025, 70356372026, 70356372027, 70356372028, 70356372029, 70356372030, 70356372031, 70356372032, 70356372033, 70356372034, 70356372035, 70356372036, 70356372037, 70356372038, 70356372039 | | |

| | | | |
|-------------------------|--|---------|-------|
| METHOD BLANK: | 2131309 | Matrix: | Water |
| Associated Lab Samples: | 70356372020, 70356372021, 70356372022, 70356372023, 70356372024, 70356372025, 70356372026, 70356372027, 70356372028, 70356372029, 70356372030, 70356372031, 70356372032, 70356372033, 70356372034, 70356372035, 70356372036, 70356372037, 70356372038, 70356372039 | | |

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------|-------|--------------|-----------------|----------------|------------|
| Lead | ug/L | <1.0 | 1.0 | 06/09/25 19:36 | |

| LABORATORY CONTROL SAMPLE: | 2131310 | | | | | |
|----------------------------|---------|-------------|------------|-----------|--------------|------------|
| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
| Lead | ug/L | 50 | 51.7 | 103 | 85-115 | |

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: | 2131311 | | | 2131312 | | | | | | | |
|--|---------|--------------------|----------------|-----------------|-----------|------------|----------|-----------|--------------|-----|------|
| Parameter | Units | 70356372020 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Qual |
| Lead | ug/L | <1.0 | 50 | 50 | 51.8 | 49.6 | 103 | 99 | 70-130 | 4 | |

| MATRIX SPIKE & MATRIX SPIKE DUPLICATE: | 2131313 | | | 2131314 | | | | | | | |
|--|---------|--------------------|----------------|-----------------|-----------|------------|----------|-----------|--------------|-----|------|
| Parameter | Units | 70356372021 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Qual |
| Lead | ug/L | <1.0 | 50 | 50 | 54.0 | 52.5 | 107 | 104 | 70-130 | 3 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

QC Batch: 403274 Analysis Method: EPA 200.8
 QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
 Laboratory: Pace Analytical Services - Melville
 Associated Lab Samples: 70356372040, 70356372041, 70356372042, 70356372043, 70356372044, 70356372045

METHOD BLANK: 2131315 Matrix: Water
 Associated Lab Samples: 70356372040, 70356372041, 70356372042, 70356372043, 70356372044, 70356372045

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------|-------|--------------|-----------------|----------------|------------|
| Lead | ug/L | <1.0 | 1.0 | 06/09/25 20:22 | |

LABORATORY CONTROL SAMPLE & LCSD: 2131316 2131317

| Parameter | Units | Spike Conc. | LCS Result | LCSD Result | LCS % Rec | LCSD % Rec | % Rec Limits | RPD | Max RPD | Qualifiers |
|-----------|-------|-------------|------------|-------------|-----------|------------|--------------|-----|---------|------------|
| Lead | ug/L | 50 | 51.4 | 50.7 | 103 | 101 | 85-115 | 1 | 20 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BERLIN ELEM/MIDDLE/HIGH SCHOOL

Pace Project No.: 70356372

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|--------------------|-----------------|----------|-------------------|------------------|
| 70356372001 | 1 BES-01-CF-P-01 | EPA 200.8 | 403272 | | |
| 70356372002 | 2 BES-01-DW-P-02 | EPA 200.8 | 403272 | | |
| 70356372003 | 3 BES-01-DW-P-03 | EPA 200.8 | 403272 | | |
| 70356372004 | 4 BES-01-CF-P-04 | EPA 200.8 | 403272 | | |
| 70356372005 | 5 BES-01-DW-P-05 | EPA 200.8 | 403272 | | |
| 70356372006 | 6 BES-01-CF-P-06 | EPA 200.8 | 403272 | | |
| 70356372007 | 7 BES-01-DW-P-07 | EPA 200.8 | 403272 | | |
| 70356372008 | 8 BES-01-BF-P-08 | EPA 200.8 | 403272 | | |
| 70356372009 | 9 BES-01-DW-P-09 | EPA 200.8 | 403272 | | |
| 70356372010 | 10 BES-01-DW-P-10 | EPA 200.8 | 403272 | | |
| 70356372011 | 11 BES-01-DW-P-11 | EPA 200.8 | 403272 | | |
| 70356372012 | 12 BES-01-DW-P-12 | EPA 200.8 | 403272 | | |
| 70356372013 | 13 BES-01-KF-P-13 | EPA 200.8 | 403272 | | |
| 70356372014 | 14 BES-01-KF-P-14 | EPA 200.8 | 403272 | | |
| 70356372015 | 15 BES-01-KF-P-15 | EPA 200.8 | 403272 | | |
| 70356372016 | 16 BES-01-CF-P-16 | EPA 200.8 | 403272 | | |
| 70356372017 | 17 BES-01-CF-P-17 | EPA 200.8 | 403272 | | |
| 70356372018 | 20 BES-02-DW-P-20 | EPA 200.8 | 403272 | | |
| 70356372019 | 21 BES-02-DW-P-21 | EPA 200.8 | 403272 | | |
| 70356372020 | 22 MSHS-01-DW-P-22 | EPA 200.8 | 403273 | | |
| 70356372021 | 24 MSHS-01-IM-P-24 | EPA 200.8 | 403273 | | |
| 70356372022 | 25 MSHS-01-DW-P-25 | EPA 200.8 | 403273 | | |
| 70356372023 | 26 MSHS-01-DW-P-26 | EPA 200.8 | 403273 | | |
| 70356372024 | 27 MSHS-01-DW-P-27 | EPA 200.8 | 403273 | | |
| 70356372025 | 28 MSHS-01-CF-P-28 | EPA 200.8 | 403273 | | |
| 70356372026 | 29 MSHS-01-SF-P-29 | EPA 200.8 | 403273 | | |
| 70356372027 | 30 MSHS-01-SF-P-30 | EPA 200.8 | 403273 | | |
| 70356372028 | 31 MSHS-01-DW-P-31 | EPA 200.8 | 403273 | | |
| 70356372029 | 32 MSHS-01-DW-P-32 | EPA 200.8 | 403273 | | |
| 70356372030 | 33 MSHS-01-KF-P-33 | EPA 200.8 | 403273 | | |
| 70356372031 | 34 MSHS-01-KF-P-34 | EPA 200.8 | 403273 | | |
| 70356372032 | 35 MSHS-01-BF-P-35 | EPA 200.8 | 403273 | | |
| 70356372033 | 36 MSHS-01-DW-P-36 | EPA 200.8 | 403273 | | |
| 70356372034 | 37 MSHS-01-DW-P-37 | EPA 200.8 | 403273 | | |
| 70356372035 | 38 MSHS-01-DW-P-38 | EPA 200.8 | 403273 | | |
| 70356372036 | 39 MSHS-01-CF-P-39 | EPA 200.8 | 403273 | | |
| 70356372037 | 40 MSHS-01-CF-P-40 | EPA 200.8 | 403273 | | |
| 70356372038 | 41 MSHS-01-CF-P-41 | EPA 200.8 | 403273 | | |
| 70356372039 | 42 MSHS-01-CF-P-42 | EPA 200.8 | 403273 | | |
| 70356372040 | 43 MSHS-01-CF-P-43 | EPA 200.8 | 403274 | | |
| 70356372041 | 44 MSHS-01-CF-P-44 | EPA 200.8 | 403274 | | |
| 70356372042 | 45 MSHS-01-CF-P-45 | EPA 200.8 | 403274 | | |
| 70356372043 | 46 MSHS-01-CF-P-46 | EPA 200.8 | 403274 | | |
| 70356372044 | 47 MSHS-01-DW-P-47 | EPA 200.8 | 403274 | | |
| 70356372045 | 50 MSHS-01-CF-P-50 | EPA 200.8 | 403274 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

CLIENT INFORMATION

Name: Berlin Central School District
 Address: 17400 Route 22, Cherry Plain, NY 12040
 Client Rep: Cyril Grant [518] 658-1500, Option 8, Ext. 3011

Date of Sampling: 5/22/2025
 Samples Taken By: Tim LeVan
 District Staff: Cyril Grant

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Berlin Elementary School
 BLDG ADDRESS: 53 School Street, Berlin, NY 12022
 CONTACT NAME & NUMBERS: Cyril Grant [518] 658-1500, Option 8, Ext. 3011

(1) Yr. Built: (2) Yr. 1st Add: (3) Yr. 2nd Add: (4) Yr. 1st Mod: (5) Yr. 2nd Mod:

WO#: 70356372



SAMPLE DATA

| Lab Sample # | BOCES Sample # | Location | Outlet Description | Outlet Make & Model | Construct. Date | First Draw | Time of Collection (24hr) | 30 Second Flush Draw | Time of Collection (24hr) | Service Connection Draw | Time of Collection (24hr) | Water Main Draw | Time of Collection (24hr) |
|--------------|----------------|---------------------------|---------------------------------|---------------------|-----------------|------------|---------------------------|----------------------|---------------------------|-------------------------|---------------------------|-----------------|---------------------------|
| 1 | BES-01-CF-P-01 | 118 | Classroom Sink Faucet | | | X | 11:19 | | | | | | |
| 2 | BES-01-DW-P-02 | 118 Corridor | Water Fountain | | | X | 11:16 | | | | | | |
| 3 | BES-01-DW-P-03 | 118 Corridor | Bottle Filler | | | X | 11:16 | | | | | | |
| 4 | BES-01-CF-P-04 | 112 | Classroom Sink Faucet | | | X | 11:26 | | | | | | |
| 5 | BES-01-DW-P-05 | 112 | Sink Bubbler | | | X | 11:26 | | | | | | |
| 6 | BES-01-CF-P-06 | 111 | Classroom Sink Faucet | | | X | 11:30 | | | | | | |
| 7 | BES-01-DW-P-07 | 111 | Sink Bubbler | | | X | 11:34 | | | | | | |
| 8 | BES-01-BF-P-08 | Nurse's Office | Bottle Filler Faucet | | | X | 11:34 | | | | | | |
| 9 | BES-01-DW-P-09 | Girls Restroom - Corridor | Water Fountain | | | X | 11:36 | | | | | | |
| 10 | BES-01-DW-P-10 | Girls Restroom - Corridor | Bottle Filler | | | X | 11:36 | | | | | | |
| 11 | BES-01-DW-P-11 | Cafeteria Corridor | Water Fountain | | | X | 11:39 | | | | | | |
| 12 | BES-01-DW-P-12 | Cafeteria Corridor | Bottle Filler | | | X | 11:39 | | | | | | |
| 13 | BES-01-KF-P-13 | Kitchen Sink - Left | Sink Faucet | | | X | 11:45 | | | | | | |
| 14 | BES-01-KF-P-14 | Kitchen Sink - Right | Sink Faucet | | | X | 11:45 | | | | | | |
| 15 | BES-01-KF-P-15 | Kitchen - Handwashing | Sink Faucet | | | X | 11:45 | | | | | | |
| 16 | BES-01-CF-P-16 | 107 | Classroom Sink Faucet | | | X | 11:45 | | | | | | |
| 17 | BES-01-CF-P-17 | 108 | Classroom Sink Faucet | | | X | 11:49 | | | | | | |
| 18 | BES-02-DW-P-18 | Girl's Restroom Corridor | Water Fountain | | | X | 11:51 | | | | | | |
| 19 | BES-02-DW-P-19 | Girl's Restroom Corridor | Bottle Filler | | | X | NO TEST | | | | | | |
| 20 | BES-02-DW-P-20 | Boy's Restroom Corridor | Water Fountain | | | X | NO TEST | | | | | | |
| 21 | BES-02-DW-P-21 | Boy's Restroom Corridor | Bottle Filler | | | X | 11:59 | | | | | | |

Handwritten notes: 10/23/25 8:00

All containers are pre-cleaned/pre-certified (25ml) plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY
 Relinquished By: [Signature] Date: 5-22-25
 Received By: [Signature] Date: 5-22-25
 INSTRUCTIONS TO THE LABORATORY: Analyze all samples for lead
 Date: 5/23/25 8:00
 Page 53 of 53
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

Appendix D

Date of Sampling: 5/22/25
 Samples Taken By: Tim LeVan
 District Staff: Cyril Grant

Name: Berlin Central School District
 Address: 17400 Route 22, Cherry Plain, NY 12040
 Client Rep: Cyril Grant 518-658-3322

SCHOOL/PROJECT INFORMATION
 BLDG NO./NAME: Berlin Middle/High School
 BLDG ADDRESS: 17400 NY-22, Cherry Plain, NY 12040
 CONTACT NAME & NUMBERS: Cyril Grant [518] 658-1500, Option B, Ext. 3011

(1) Yr. Built: 1960 (2) Yr 1st Add: 1975 (3) Yr 2nd Add: 1989 (4) Yr 1st Mod: (5) Yr 2nd Mod:

SAMPLE DATA

| Lab Sample # | BOCES Sample # | Location | Outlet Description | Outlet Make & Model | Construct. Date | First Draw | Time of Collection (24hr) | 30 Second Flush Draw | Time of Collection (24hr) | Service Connection Draw | Time of Collection (24hr) | Water Main Draw | Time of Collection (24hr) |
|--------------|-----------------|------------------------|-----------------------|---------------------|-----------------|------------|---------------------------|----------------------|---------------------------|-------------------------|---------------------------|-----------------|---------------------------|
| 22 | MSHS-01-DW-P-22 | 104 Corridor | Water Cooler | | | X | 12:24 | | | | | | |
| 23 | MSHS-01-DW-P-23 | Boy's Locker Room | Water Cooler | | | X | NO TEST | | | | | | |
| 24 | MSHS-01-IM-P-24 | Boys Coaches Office | Ice Machine | | | | 12:30 | | | | | | |
| 25 | MSHS-01-DW-P-25 | Girl's Locker Room | Water Cooler | | | X | 12:32 | | | | | | |
| 26 | MSHS-01-DW-P-26 | Outside Men's Room | Water Cooler | | | X | 12:33 | | | | | | |
| 27 | MSHS-01-DW-P-27 | Outside Women's Room | Water Cooler | | | X | 12:33 | | | | | | |
| 28 | MSHS-01-CF-P-28 | 150 | Classroom Sink Faucet | | | X | 12:36 | | | | | | |
| 29 | MSHS-01-SF-P-29 | 148 PPS | Sink Faucet | | | X | 12:38 | | | | | | |
| 30 | MSHS-01-SF-P-30 | Faculty Lounge | Sink Faucet | | | X | 12:41 | | | | | | |
| 31 | MSHS-01-DW-P-31 | HS Center Corridor - L | Water Cooler | | | X | 12:43 | | | | | | |
| 32 | MSHS-01-DW-P-32 | HS Center Corridor - R | Water Cooler | | | X | 12:43 | | | | | | |
| 33 | MSHS-01-KF-P-33 | Kitchen Sink - L | Sink Faucet | | | X | 12:47 | | | | | | |
| 34 | MSHS-01-KF-P-34 | Kitchen Sink - R | Sink Faucet | | | X | 12:47 | | | | | | |
| 35 | MSHS-01-BF-P-35 | Kitchen - Bathroom | Bathroom Faucet | | | X | 12:48 | | | | | | |
| 36 | MSHS-01-DW-P-36 | Kitchen Corridor | Water fountain | | | X | 12:50 | | | | | | |
| 37 | MSHS-01-DW-P-37 | Kitchen Corridor | Bottle filler | | | X | 12:50 | | | | | | |
| 38 | MSHS-01-DW-P-38 | By MS Restrooms | Bottle filler | | | X | 12:51 | | | | | | |
| 39 | MSHS-01-CF-P-39 | 118b - Front L Wall | Classroom Sink Faucet | | | X | 12:55 | | | | | | |
| 40 | MSHS-01-CF-P-40 | 118d - Front L | Classroom Sink Faucet | | | X | 12:56 | | | | | | |
| 41 | MSHS-01-CF-P-41 | 118d - Front R | Classroom Sink Faucet | | | X | 12:57 | | | | | | |
| 42 | MSHS-01-CF-P-42 | 118d - Center L | Classroom Sink Faucet | | | X | 12:57 | | | | | | |
| 43 | MSHS-01-CF-P-43 | 118d - Center R | Classroom Sink Faucet | | | X | 12:58 | | | | | | |
| 44 | MSHS-01-CF-P-44 | 118d - Back L | Classroom Sink Faucet | | | X | 12:58 | | | | | | |
| 45 | MSHS-01-CF-P-45 | 118d - Back R | Classroom Sink Faucet | | | X | 12:59 | | | | | | |
| 46 | MSHS-01-CF-P-46 | 118d - Back L Wall | Classroom Sink Faucet | | | X | 1:00 | | | | | | |

All containers are pre-cleaned/pre-certified 55ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY
 Relinquished By: [Signature] Date: 5-27-25
 Received By: [Signature] Date: 5-27-25
 INSTRUCTIONS TO THE LABORATORY: Analyze all samples for lead
 Lab: Pace Analytical Services
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

Handwritten notes: RMD P.G. 5/22/25 8:00

WO#: 70356372
PM: ALC Due Date: 06/09/25
CLIENT: BERLINCSD

Client Name: BERLINCSD **Project #**
Courier: Fed Ex UPS USPS Client Commercial Pace Other
Tracking #:

Custody Seal on Cooler/Box Present: Yes No **Seals intact:** Yes No **Temperature Blank Present:** Yes No
Packing Material: Bubble Wrap Bubble Bags Ziploc None Other **Type of Ice:** Wet Blue None
Thermometer Used: JH21 **Correction Factor:** 10.2 Samples on ice, cooling process has begun
Cooler Temperature(°C): 13.1 **Cooler Temperature Corrected(°C):** 13.2 **Date/Time 5035A kits placed in freezer**
 Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No
 Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.
Date and Initials of person examining contents: WCS/23/25

| | COMMENTS: |
|--|--|
| Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 1. |
| Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 2. |
| Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 3. |
| Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 5. |
| Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 6. |
| Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 7. |
| Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 8. |
| Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No -Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 9. |
| Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 10. |
| Filtered volume received for Dissolved tests: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 11. Note: if sediment is visible in the dissolved container. |
| Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 12. |
| -Includes date/time/ID/Analysis Matrix: <u>SL WT OIL OTHER</u> | |

Date and Initials of person checking preservation: WCS/23/25

| | |
|--|--|
| All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A pH paper Lot # <u>231294</u> | 13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl |
| All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide) | Sample # |
| Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis | Initial when completed: Lot # of added preservative: Date/Time preservative added: |
| Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A KI starch test strips Lot # | 14. Positive for Res. Chlorine? Y N |
| Residual chlorine strips Lot # | 15. Positive for Sulfide? Y N |
| SM 4500 CN samples checked for sulf <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Lead Acetate Strips Lot # | 16. |
| Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 17. |
| Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |

Client Notification/ Resolution: _____ **Field Data Required?** Y / N
Person Contacted: _____ **Date/Time:** _____
Comments/ Resolution: _____

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.